

Portfolio - Adult Social Care and Health 2015/2016

No of Indicators = 75 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time. over time.

| | | | | Previous Years | | | |
|-----------|--|-------------------------|---------|----------------|---------|------------|------|
| ODE | | Collection Frequency | 2013/14 | 2014/15 | 2015/16 | Polarity | DoT |
| | Social care-related quality of life score | Annual | 18.8 | 19 | 19.2 | Up is Good | Goo |
| | Benchmark - National Data | Annual | 19 | 19.1 | - | | |
| ASCOF1A | Benchmark - Regional Data | Annual | 18.9 | 19.1 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 78 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 11 | 10 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 9 | - | | |
| | Proportion of people who use services who have control over their daily life | Annual | 80.3 | 78 | 77 | Up is Good | Neut |
| | Benchmark - National Data | Annual | 76.8 | 77.3 | - | | |
| ASCOF1B | Benchmark - Regional Data | Annual | 78 | 78.1 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 67 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 4 | 7 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 9 | - | | |
| | Proportion of people using social care who receive self- directed support - Adults aged over 18 | Annual | - | 95.8 | 97.62 | Up is Good | God |
| | Benchmark - National Data | Annual | - | 83.7 | - | | |
| ASCOF1C1a | Benchmark - Regional Data | Annual | - | 81.1 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 43 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 3 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 5 | - | | |
| | Proportion of people using social care who receive self- directed support - Carers | Annual | - | 100 | 94.48 | Up is Good | Neut |
| | Benchmark - National Data | Annual | - | 77.4 | - | | |
| ASCOF1C1b | Benchmark - Regional Data | Annual | - | 63.1 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 1 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 1 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 1 | - | | |
| | Proportion of people using social care who receive direct payments - Adults aged over 18 | Annual | - | 21.6 | 22.38 | Up is Good | Neut |
| | Benchmark - National Data | Annual | - | 26.3 | - | | |
| ASCOF1C2a | Benchmark - Regional Data | Annual | - | 24.4 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 97 | = | | |
| | Regional Rank (Rank out of 15) | Annual | - | 9 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 12 | - | | |
| | Proportion of people using social care who receive direct payments - Carers | Annual | - | 100 | 94.48 | Up is Good | Ва |
| | Benchmark - National Data | Annual | - | 66.9 | - | | |
| ASCOF1C2b | Benchmark - Regional Data | Annual | - | 59.9 | - | | |

ANNEX A

| Ī | National Deals (Deals and at 450) | Δ | | | | | |
|----------|---|---------|------|------|-------|------------|------------|
| | National Rank (Rank out of 152) | Annual | - | 1 | - | 1 | AN |
| | Regional Rank (Rank out of 15) | Annual | - | 1 | - | | , · |
| | Comparator Rank (Rank out of 16) | Annual | - | 1 | - | Un in Cond | Nautual |
| | Carer-reported quality of life score | Annual | - | 8.3 | - | Up is Good | Neutral |
| | Benchmark - National Data | Annual | - | 7.9 | - | | |
| ASCOF1D | Benchmark - Regional Data | Annual | - | 8.1 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 18 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 2 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 3 | - | | |
| | Proportion of adults with a learning disability in paid employment | Monthly | 7.7 | 13.7 | 9.72 | Up is Good | Neutral |
| | Benchmark - National Data | Annual | 6.7 | 6.0 | - | | |
| ASCOF1E | Benchmark - Regional Data | Annual | 6.2 | 6.6 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 9 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 3 | 1 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 1 | - | | • |
| | Proportion of adults in contact with secondary mental health services in paid employment | Annual | 10.3 | 10.9 | 6.7 | Up is Good | Neutral |
| I | Benchmark - National Data | Annual | 7.0 | 6.8 | - | | |
| ASCOF1F | Benchmark - Regional Data | Annual | 7.7 | 8.3 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 17 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 3 | - | | |
| | Proportion of adults with a learning disability who live in their own home or with family | Monthly | 82.6 | 91.8 | 82.61 | Up is Good | Neutral |
| | Benchmark - National Data | Annual | 74.9 | 73.3 | - | | |
| ASCOF1G | Benchmark - Regional Data | Annual | 79.2 | 81.4 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 5 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 5 | 1 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 1 | - | | |
| | Proportion of adults in contact with secondary mental health services living independently, with or without support | Annual | 68.7 | 55.1 | 31.2 | Up is Good | Data issue |
| | Benchmark - National Data | Annual | 60.8 | 59.7 | - | | |
| ASCOF1H | Benchmark - Regional Data | Annual | 63.2 | 67.2 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 113 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 6 | 14 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 13 | - | | |
| | Proportion of people who use services who reported that they had as much social contact as they would like | Annual | 43.0 | 46.6 | 46 | Up is Good | Neutral |
| | Benchmark - National Data | Annual | 44.5 | 44.8 | _ | | |
| ASCOF1I1 | Benchmark - Regional Data | Annual | 44.2 | 45.7 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 46 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 12 | 7 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 6 | _ | | |
| | Proportion of carers who reported that they had as much social contact as they would like | Annual | - | 44.7 | - | Up is Good | Neutral |

| | Benchmark - National Data | Annual | - | 38.5 | - | | |
|----------|---|---------|-------|-------|--------|------------|---------|
| ASCOF1I2 | Benchmark - Regional Data | Annual | - | 40.5 | - | | AN |
| | National Rank (Rank out of 152) | Annual | - | 30 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 6 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 5 | - | | |
| | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (younger adults) (YTD Cumulative) (New definition for 2015/16) | Monthly | 11.5 | 9.9 | 11.42 | Neutral | Neutral |
| | Benchmark - National Data | Annual | 14.4 | 14.2 | - | | |
| | Benchmark - Regional Data | Annual | 11.0 | 11.5 | - | | |
| ASCOF2A1 | National Rank (Rank out of 152) | Annual | - | 50 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 7 | 5 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 11 | - | | |
| | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (younger adults) (Monthly Snapshot) (New definition for 2015/16) | Monthly | - | - | - | Up is Bad | Neutral |
| | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (older people) (YTD Cumulative) (New definition for 2015/16) | Monthly | 767.5 | 630.8 | 693.93 | Neutral | Neutral |
| | Benchmark - National Data | Annual | 650.6 | 668.8 | - | | |
| | Benchmark - Regional Data | Annual | 644.1 | 726.9 | - | | |
| ASCOF2A2 | National Rank (Rank out of 152) | Annual | - | 72 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 13 | 6 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 8 | - | | |
| | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (older people) (Monthly Snapshot) (New definition for 2015/16) | Monthly | - | - | - | Up is Bad | Neutral |
| | Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services | Annual | 80.9 | 81.5 | 75.70 | Up is Good | Neutral |
| 10005004 | Benchmark - National Data | Annual | 82.5 | 82.1 | - | | |
| ASCOF2B1 | Benchmark - Regional Data | Annual | 85.3 | 83.2 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 92 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 12 | 11 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 9 | - | | |
| | Proportion of older people (65 and over) who were offered reablement services following discharge from hospital | Annual | 1.1 | 0.9 | - | Up is Good | Neutral |
| | Benchmark - National Data | Annual | 3.3 | 3.1 | - | | |
| ASCOF2B2 | Benchmark - Regional Data | Annual | 1.9 | 2.6 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 147 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 12 | 15 | - | | i |
| | Comparator Rank (Rank out of 16) | Annual | - | 15 | - | | |

ANNEX A

| | Delayed transfers of care from hospital, per 100,000 population (YTD Average) | Monthly | 17.6 | 11.6 | 13.36 | Up is Bad | Neutra A N |
|----------|--|---------|------|------|-------|------------|-------------------|
| | Benchmark - National Data | Annual | 9.6 | 11.1 | - | | |
| | Benchmark - Regional Data | Annual | 9.1 | 9.6 | - | | |
| ASCOF2C1 | National Rank (Rank out of 152) | Annual | - | 102 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 14 | 11 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 11 | - | | |
| | Delayed transfers of care from hospital, per 100,000 population (Monthly Snapshot) | Monthly | - | - | 13.36 | Up is Bad | Neutral |
| | Delayed transfers of care from hospital which are attributable to adult social care, per 100,000 population (YTD Average) | Monthly | 11.1 | 6.3 | 6.95 | Up is Bad | Neutral |
| | Benchmark - National Data | Annual | 3.1 | 3.7 | - | | |
| | Benchmark - Regional Data | Annual | 2.5 | 3 | - | | |
| ASCOF2C2 | National Rank (Rank out of 152) | Annual | - | 133 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 15 | 14 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 5 | - | | |
| | Delayed transfers of care from hospital which are attributable to adult social care, per 100,000 population (Monthly Snapshot) | Monthly | - | - | 6.9 | Up is Bad | Neutral |
| | The outcome of short term services: sequel to service | Annual | - | 33.8 | 34.08 | Up is Good | Neutral |
| | Benchmark - National Data | Annual | - | 74.6 | - | | |
| ASCOF2D | Benchmark - Regional Data | Annual | - | 70.5 | - | | |
| ASCOP2D | National Rank (Rank out of 152) | Annual | - | 149 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 15 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 16 | - | | |
| | Overall satisfaction of people who use services with their care and support | Annual | 67.4 | 67.1 | 64 | Up is Good | Neutral |
| | Benchmark - National Data | Annual | 64.8 | 64.7 | - | | |
| ASCOF3A | Benchmark - Regional Data | Annual | 65.8 | 65.9 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 44 | - | | |
| | Regional Rank (Rank out of 15) | Annual | 5 | 7 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 5 | - | | |
| | Overall satisfaction of carers with social services | Annual | - | 43.4 | - | Up is Good | Neutral |
| | Benchmark - National Data | Annual | - | 41.2 | - | | |
| ASCOF3B | Benchmark - Regional Data | Annual | - | 43 | - | | |
| ASCOL 3D | National Rank (Rank out of 152) | Annual | - | 55 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 10 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 10 | - | | |
| | Proportion of carers who report that they have been included or consulted in discussion about the person they care for | Annual | - | 73.2 | - | Up is Good | Neutral |
| | Benchmark - National Data | Annual | - | 72.3 | - | | |
| ASCOF3C | Benchmark - Regional Data | Annual | - | 74.6 | - | | |
| | National Rank (Rank out of 152) | Annual | - | 57 | - | | |
| | Regional Rank (Rank out of 15) | Annual | - | 12 | - | | |
| | Comparator Rank (Rank out of 16) | Annual | - | 10 | - | | |

| N | EX | A |
|---|----|-----|
| | N | NEX |

| | | Proportion of people who use services who find it easy to find information about support | Annual | 77.1 | 79.8 | 77 | Up is Good | Neutra ANN |
|--|----------|---|-----------|--------|--------|--------|------------|-------------------|
| | | Benchmark - National Data | Annual | 74.5 | 74.5 | - | | |
| | ASCOF3D1 | Benchmark - Regional Data | Annual | 74.1 | 74.4 | - | | |
| | | National Rank (Rank out of 152) | Annual | - | 18 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 5 | 3 | - | | |
| | | Comparator Rank (Rank out of 16) | Annual | - | 3 | - | | |
| | | Proportion of carers who find it easy to find information about support | Annual | - | 70.3 | - | Up is Good | Neutral |
| | | Benchmark - National Data | Annual | - | 65.5 | - | | |
| | ASCOF3D2 | Benchmark - Regional Data | Annual | - | 68.3 | - | | |
| | | National Rank (Rank out of 152) | Annual | - | 35 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 7 | - | | |
| | | Comparator Rank (Rank out of 16) | Annual | - | 8 | - | | |
| | | Proportion of people who use services who feel safe | Annual | 63.4 | 62.3 | 67 | Up is Good | Neutral |
| | | Benchmark - National Data | Annual | 66 | 68.5 | - | | |
| | 4000544 | Benchmark - Regional Data | Annual | 66.2 | 67.7 | - | | |
| | ASCOF4A | National Rank (Rank out of 152) | Annual | - | 131 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 11 | 13 | - | | |
| | | Comparator Rank (Rank out of 16) | Annual | - | 16 | - | | |
| | | Proportion of people who use services who say that those services have made them feel safe and secure | Annual | 64.5 | 67.4 | 91 | Up is Good | Good |
| | | Benchmark - National Data | Annual | 79.1 | 84.5 | - | | |
| | ASCOF4B | Benchmark - Regional Data | Annual | 78.7 | 81.8 | - | | |
| | | National Rank (Rank out of 152) | Annual | - | 149 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 15 | 15 | - | | |
| | | Comparator Rank (Rank out of 16) | Annual | - | 16 | - | | |
| | | % of adult social care users who have as much social contact as they would like | Annual | 43 | 46.6 | - | Up is Good | Good |
| | PHOF15 | Benchmark - National Data | Annual | 44.5 | 44.8 | - | | |
| | | Benchmark - Regional Data | Annual | 44.2 | 45.7 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 12 | 7 | - | | |
| | PVP01 | People supported through personal budgets or direct payments receiving community-based services (%) (ADASS Survey definition) | Monthly | 84.13% | 91.29% | 93.88% | Up is Good | Good |
| | PVP02 | Number of permanent admissions to residential & nursing care homes for older people (65+) | Monthly | - | 241 | 260 | Up is Bad | Neutral |
| | CSB17 | Number of mothers recorded by Midwifery Services in regard to alcohol or substance misuse (by Estimated Delivery Date) | Quarterly | - | 26 | - | Up is Bad | Neutral |
| | | Alcohol-specific mortality: Males, all ages (per 100,000 population) | Annual | 14.60 | 11.3 | - | Up is Bad | Neutral |
| | LAPE03 | Benchmark - National Data | Annual | 16.61 | 16.1 | - | | |
| | | Benchmark - Regional Data | Annual | 18.13 | 17.6 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 2 | - | | |
| | | Alcohol-specific mortality: Females, all ages (per 100,000 population) | Annual | 7.86 | 7.6 | - | Up is Bad | Neutral |
| | LAPE04 | Benchmark - National Data | Annual | 7.47 | 7.4 | - | | |

ANNEX A

| | | Benchmark - Regional Data | Annual | 8.73 | 8.1 | - | | Λ N I |
|----------------------|----------------|---|-----------|---------|---------|---------|------------|---------|
| | | Regional Rank (Rank out of 15) | Annual | - | 5 | - | | AN |
| ~ D | <u>CSP51</u> | Number of Reports of Domestic Abuse Incidents reported to NYP | Monthly | 2823 | 2745 | 2858 | Up is Bad | Neutral |
| Domestic Violence | DOMV4a | % of domestic violence incidents where children present | Monthly | 18% | 24% | 26% | Up is Bad | Bad |
| ě ti | MARAC01 | Number of MARAC cases Discussed | Monthly | 188 | 176 | 209 | Neutral | Neutral |
| | MARAC03 | Number of MARAC Repeat cases | Monthly | 30 | 51 | 60 | Up is Bad | Bad |
| | | Life Expectancy at birth - Female | Annual | 83.5 | 83.5 | - | Up is Good | Neutral |
| | PHOF16 | Benchmark - National Data | Annual | 83.12 | 83.2 | - | | |
| | <u>1110110</u> | Benchmark - Regional Data | Annual | 82.2 | 82.4 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 2 | - | | |
| Life Expectancy | <u>PHOF17</u> | Slope index of inequality in life expectancy at birth - Females - (Three year period) | Annual | 5.82 | - | - | Up is Bad | Neutral |
| Ϋ́ | | Regional Rank (Rank out of 15) | Annual | 3 | - | - | | |
| ecta | | Life Expectancy at birth - Male | Annual | 79.4 | 80.1 | - | Up is Good | Neutral |
| anc | PHOF36 | Benchmark - National Data | Annual | 79.41 | 79.55 | - | | |
| ~ | 1110100 | Benchmark - Regional Data | Annual | 78.5 | 78.7 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | | |
| | <u>PHOF37</u> | Slope index of inequality in life expectancy at birth - Males - (Three year period) | Annual | 7.4 | - | 1 | Up is Bad | Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | - | - | | |
| Mental Health | CMHP15A | Number of bed days in secondary mental health care hospitals, per 100,000 population - (VoY CCG) | Quarterly | 4786.44 | 8285.59 | 6584.59 | Up is Bad | Neutral |
| ntal alth | PHOF40 | Gap in employment rate for mental health clients and the overall employment rate | Annual | 62.9 | 63.2 | - | Up is Bad | Neutral |
| | NCMP01 | % of reception year children recorded as being obese | Annual | 7.82% | 7.03% | - | Up is Bad | Good |
| | NCMP02 | % of children in Year 6 recorded as being obese | Annual | 15.35% | 14.97% | - | Up is Bad | Good |
| | | % of adults classified as overweight or obese | Annual | - | 56.88 | - | Up is Bad | Neutral |
| Obesity | PHOF44 | Benchmark - National Data | Annual | - | 64.59 | - | | |
| sity | 11101 44 | Benchmark - Regional Data | Annual | - | 67.09 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 1 | - | | |
| | <u>SSN004</u> | Adult participation in 30 minutes, moderate intensity sport | Annual | 40.95% | 40.57% | - | Up is Good | Neutral |
| | <u>CHP02</u> | Child mortality rate (1-17 years), per 100,000 population | Annual | 10.8 | 10.3 | - | Up is Bad | Good |
| | <u>011F02</u> | Regional Rank (Rank out of 15) | Annual | 3 | 4 | - | | |
| | <u>CHP32</u> | Hospital admissions as a result of self harm (10-24 years), per 100,000 population | Annual | 401.21 | 552.96 | - | Up is Bad | Bad |
| | CMHD02 | IAPT Referrals (18+), per 100,000 population - (VoY CCG) | Quarterly | 153.23 | 307.08 | - | Up is Good | Good |
| | CMHD03 | % of people who have completed IAPT treatment who achieved "reliable improvement" - (VoY CCG) | Quarterly | 55.88% | 61.40% | - | Up is Good | Neutral |
| □ublic | PHOF06 | Under 18 conceptions (per 1,000 females aged 15-17) (Calendar Year) | Quarterly | 21.59 | 15.71 | - | Up is Bad | Good |
| Hea | | Regional Rank (Rank out of 15) | Quarterly | 13 | 12 | - | | |
| Public Health and V | PHOF27 | Under 18 conceptions: conceptions in those aged under 16 (per 1,000 females aged 13-15) (Calendar Year) | Annual | 2.83 | 2.13 | - | Up is Bad | Good |

| A K IIK | |
|--------------------|--|
| - ANI N | |

| Vellbeing | | Benchmark - National Data | Annual | 4.81 | 4.38 | - | | A |
|-----------------|-----------------|--|-----------|--------|--------|------------|------------|---------|
| oeir | | Benchmark - Regional Data | Annual | 6.02 | 5.49 | - | | |
| Ω | PHOF31 | % of eligible population aged 40-74 who received an NHS Health Check | Quarterly | 8.69% | 7.32% | - | Up is Good | Bad |
| | PHOF31 | Benchmark - National Data | Quarterly | 9.03% | 9.62% | - | | |
| | | Benchmark - Regional Data | Annual | 8.24% | - | - | | |
| | | Suicide rate (per 100,000 population) | Annual | 10.13 | 9.94 | - | Up is Bad | Neutral |
| | PHOF32 | Benchmark - National Data | Annual | 8.77 | 8.94 | - | | |
| | <u>11101 32</u> | Benchmark - Regional Data | Annual | 9.33 | 9.26 | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 10 | 11 | - | | |
| | NCDD04 | Gap in smoking prevalence rate between adult general population and adults in routine and manual occupations | Annual | 14.40% | 14.35% | - | Neutral | Neutral |
| | NGPP01 | Benchmark - National Data | Annual | 10.15% | 9.98% | = | | |
| တ္ | | Benchmark - Regional Data | Annual | 10.33% | 10.59% | - | | |
| Smoking | PHOF10 | % of women who smoke at the time of delivery | Annual | 10.63% | 10.8% | - | Up is Bad | Neutral |
| ing | | % of population smoking | Annual | 18.76% | 18.43% | - | Up is Bad | Neutral |
| | DHOE45 | Benchmark - National Data | Annual | 18.45% | 17.99% | - | | |
| | PHOF45 | Benchmark - Regional Data | Annual | 20.34% | 20.11% | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 5 | 6 | - | | |
| | <u>HV01</u> | % of births that receive a face to face New Birth Visit (NBV) by a Health Visitor within 14 days | Quarterly | - | - | 74% (Prov) | Up is Good | Neutral |
| | | Benchmark - National Data | Quarterly | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | - | - | - | | |
| | <u>HV02</u> | % of face-to-face NBVs undertaken by a health visitor after 14 days | Quarterly | - | - | 22% (Prov) | Up is Bad | Neutral |
| | | Benchmark - National Data | Quarterly | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | - | - | - | | |
| | | % of infants who received a 6-8 week review by the time they were 8 weeks | Quarterly | - | - | 71% (Prov) | Up is Good | Neutral |
| | <u>HV03</u> | Benchmark - National Data | Quarterly | - | - | - | | |
| He | | Benchmark - Regional Data | Quarterly | - | - | - | | |
| alth | | % of infants being breastfed at 6-8wks | Quarterly | - | - | 30% (Prov) | Up is Good | Neutral |
| Health Visiting | <u>HV04</u> | Benchmark - National Data | Quarterly | - | 43.80% | - | | |
| iting | | Benchmark - Regional Data | Quarterly | - | 42.20% | - | | |
| | LIVOS | % of children who received a 12 month review by the time they turned 12 months | Quarterly | - | - | 17% (Prov) | Up is Good | Neutral |
| | <u>HV05</u> | Benchmark - National Data | Quarterly | - | - | = | | |
| | | Benchmark - Regional Data | Quarterly | - | - | = | | |
| | LIVOS | % of children who received a 12 month review by the time they turned 15 months | Quarterly | - | - | 70% (Prov) | Up is Good | Neutral |
| | <u>HV06</u> | Benchmark - National Data | Quarterly | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | - | - | - | | |
| | | % of children who received a 2-2½ year review | Quarterly | - | | 12% (Prov) | Up is Good | Neutral |
| | <u>HV07</u> | Benchmark - National Data | Quarterly | - | | - | | |
| | | Benchmark - Regional Data | Quarterly | - | - | - | | |
| | | Cumulative % of eligible population aged 40-74 offered an NHS Health Check | Quarterly | 20.93% | 38.11% | 70.70% | Up is Good | Good |

NEX A

| | PHOF11 | Benchmark - National Data | Quarterly | 18.42% | 37.94% | 56.40% | | |
|--------------------------|----------------|---|-----------|--------|--------|--------|------------|------------------|
| | | Benchmark - Regional Data | Annual | 14.41% | 31.33% | - | | - A N |
| SHN | | Regional Rank (Rank out of 15) | Quarterly | 2 | 4 | - | | |
| S Health Checks | <u>PHOF11b</u> | Cumulative % of eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check | Quarterly | 41.54% | 39.35% | 37.81% | Up is Good | Bad |
| Ch | 111011110 | Benchmark - National Data | Quarterly | 49.04% | 48.93% | 48.59% | | |
| eck | | Benchmark - Regional Data | Annual | 57.14% | 52.23% | - | | |
| U) | BUOTAS | Cumulative % of eligible population aged 40-74 who received an NHS Health Check | Quarterly | 8.69% | 14.99% | 26.55% | Up is Good | Good |
| | PHOF12 | Benchmark - Regional Data | Annual | 8.24% | 16.36% | - | | |
| | | Regional Rank (Rank out of 15) | Quarterly | 6 | 7 | - | | |
| Public | <u>EH1A</u> | Chlamydia diagnoses (15-19 year olds), per 100,000 population | Quarterly | 1,922 | 1,416 | - | Up is Bad | Good |
| Ţ | | Benchmark - National Data | Quarterly | 1,834 | 1,690 | - | | |
| Health and Wellbeing | <u>EH1B</u> | Chlamydia diagnoses (20-24 year olds), per 100,000 population | Quarterly | 1,734 | 1,495 | - | Up is Bad | Good |
| nd | | Benchmark - National Data | Quarterly | 2,256 | 2,169 | - | | |
| We | | HIV late diagnosis | Annual | 44.00% | 56.30% | - | | |
| llbe | PHOF79 | Benchmark - National Data | Annual | 45.00% | 42.20% | - | | |
| ing | | Benchmark - Regional Data | Annual | 50.50% | 49.70% | - | | |
| | PHOF01 | % of physically active and inactive adults - active adults | Annual | 66.16% | 62.18% | - | Up is Good | Neutral |
| S | | Benchmark - National Data | Annual | 56.03% | 57.04% | - | | |
| Sport and Active Leisure | | Benchmark - Regional Data | Annual | 55.28% | 56.08% | - | | |
| an | | Regional Rank (Rank out of 15) | Annual | 1 | 2 | - | | |
| Α̈́ | | % of active and inactive adults - inactive adults | Annual | 21.09% | 21.57% | - | Up is Bad | Neutral |
| ctiv | PHOF02 | Benchmark - National Data | Annual | 28.34% | 27.73% | - | | |
| e Le | <u>FHOFUZ</u> | Benchmark - Regional Data | Annual | 28.73% | 29.21% | - | | |
| isu | | Regional Rank (Rank out of 15) | Annual | 1 | 1 | - | | |
| Тe | <u>SSN005</u> | Adult (14+) participation in at least 30 minutes moderate intensity sport per week | Annual | 42.40% | 41.70% | 46.80% | Up is Good | |
| | | Benchmark - National Data | Annual | 37.10% | 36.50% | 37.00% | | |
| | LAPE22 | % successful completions from alcohol treatment | Quarterly | ı | 31.7 | - | Up is Good | Neutral |
| | <u>LAI LZZ</u> | Benchmark - National Data | Quarterly | - | 38.4 | - | | |
| SL | | % of opiate users in treatment who successfully completed drug treatment | Annual | 6.22% | 5.84% | 6.10% | | |
| Subst | PHOF76 | Benchmark - National Data | Annual | 7.76% | 7.38% | 6.80% | Up is Good | Neutral |
| | | Benchmark - Regional Data | Annual | 6.91% | 6.24% | - | | |
| ĕ | | Regional Rank (Rank out of 15) | Annual | 11 | 9 | - | | |
| ance Misuse | | % of non-opiate users in treatment who successfully completed drug treatment | Annual | 36.53% | 38% | 31.10% | Up is Good | Bad |
| | PHOF77 | Benchmark - National Data | Annual | 37.66% | 39.19% | 37.30% | | |
| | | Benchmark - Regional Data | Annual | 36.33% | 40.19% | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 5 | 9 | - | | |