# Health and Wellbeing 10 Year Strategy (2022-2032) 2022/2023

No of Indicators = 33 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub February 2023

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 01: Reduce the gap in healthy life expectancy | PHOF17 | Slope index of inequality in life expectancy at birth - Female - (Three year period) | Annual | 4.3 | 4.2 | 5.2 | 6.2 | 6.2 | 5.7 | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 3 | 3 | 3 | 3 | 3 | - | - | - | | |
| | PHOF37 | Slope index of inequality in life expectancy at birth - Male - (Three year period) | Annual | 7.2 | 7.7 | 8.9 | 8.4 | 8.3 | 8.4 | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | 2 | 3 | 3 | 3 | - | - | - | | |
| | PHOF98 | Difference in healthy life expectancy at birth between females and males (yrs) | Annual | -0.2 | -0.3 | -0.6 | -0.2 | 0.6 | -0.7 | - | - | - | Neutral | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 0.7 | 0.5 | 0.4 | 0.5 | 0.3 | 0.8 | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 0.5 | 0.2 | -0.2 | 0.6 | 0.7 | 1 | - | - | - | | |
| Goal 02: Support good mental health | PHOF18 | % of people with a self-reported high anxiety score | Annual | 23.66% | 22.00% | 24.20% | 20.90% | 25.60% | 27.10% | 25.30% | - | 20.30% | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 19.37% | 19.90% | 20.00% | 19.70% | 21.90% | 24.20% | 22.60% | - | - | | |
| | | Benchmark - Regional Data | Annual | 21.52% | 21.20% | 21.20% | 20.60% | 22.10% | 24.90% | 22.30% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 12 | 12 | 14 | 7 | 15 | 11 | 14 | - | - | | |
| | PHOF19 | % of people with a self-reported low happiness score | Annual | 6.74% | 8.30% | 9.50% | 11.30% | 9.00% | 8.80% | 10.80% | - | 5.8% | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 8.75% | 8.50% | 8.20% | 7.80% | 8.70% | 9.20% | 8.40% | - | - | | |
| | | Benchmark - Regional Data | Annual | 9.92% | 9.50% | 9.10% | 9.40% | 9.80% | 10.30% | 7.90% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 5 | 9 | 12 | 4 | 7 | 14 | - | - | | |

| | | | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Collection Frequency | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | Target | Polarity | DOT |
| Goal 03: Reduce smoking rates | PHOF188 | Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition) | Annual | 14.60% | 12.60% | 9.00% | 11.50% | 11.90% | 11.70% | 9.20% | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 16.90% | 15.50% | 14.90% | 14.40% | 13.90% | 13.80% | 13.00% | - | - | | |
| | | Benchmark - Regional Data | Annual | 18.60% | 17.70% | 17.00% | 16.70% | 15.70% | 14.70% | 14.10% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 2 | 1 | 1 | 2 | 3 | 1 | - | - | | |
| | PHOF187 | Smoking prevalence among adults aged 18-64 in routine and manual occupations (APS) (2020 definition) | Annual | 28.10% | 26.40% | 24.60% | 18.60% | 26.90% | 22.30% | - | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 28.10% | 26.50% | 25.70% | 25.40% | 24.50% | 24.50% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 30.00% | 28.90% | 28.20% | 27.40% | 27.60% | 25.50% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 4 | 4 | 3 | 1 | 6 | 5 | - | - | - | | |
| | PHOF10 | % of women who smoke at the time of delivery - (CYC) | Quarterly | 12.30% | 11.10% | 10.40% | 11.60% | 10.40% | 10.30% | 8.00% | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Quarterly | 11.00% | 10.70% | 10.80% | 10.60% | 10.40% | 9.60% | 9.10% | - | - | | |
| | | Benchmark - Regional Data | Quarterly | 14.60% | 14.40% | 14.20% | 14.40% | 14.00% | 13.10% | 12.00% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 4 | 2 | 1 | 2 | 1 | 3 | 1 | - | - | | |
| | PHOF195 | Smoking prevalence in adults with a long term mental health condition (18+) - current smokers (GPPS) | Annual | 29.80% | 28.50% | 21.30% | 30.30% | 19.30% | 26.30% | - | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 33.00% | 30.30% | 27.80% | 26.80% | 25.80% | 26.30% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 34.80% | 31.60% | 29.80% | 28.20% | 27.60% | 27.50% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 5 | 2 | 10 | 1 | 4 | - | - | - | | |

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 04: Reduce proportion of residents drinking over14 units of alcohol a week | LAPE12 | Admitted to hospital with alcohol-related conditions (Broad): Males, all ages (per 100,000 population) - (New methodology) | Annual | - | 2,742 | 2,911 | 3,099 | 3,051 | 2,455 | - | - | - | Up is Bad | ◀ ▶ Neutral |
| | | Benchmark - National Data | Annual | - | 2,525 | 2,574 | 2,737 | 2,809 | 2,290 | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | 2,716 | 2,728 | 2,808 | 2,796 | 2,292 | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 7 | 10 | 11 | 11 | 9 | - | - | - | | |
| | LAPE13 | Admitted to hospital with alcohol-related conditions (Broad): Females, all ages (per 100,000 population) - (New methodology) | Annual | - | 978 | 970 | 1,085 | 1,121 | 943 | - | - | - | Up is Bad | ◀ ▶ Neutral |
| | | Benchmark - National Data | Annual | - | 840 | 858 | 915 | 943 | 805 | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | 933 | 942 | 986 | 992 | 831 | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 10 | 9 | 10 | 12 | 11 | - | - | - | | |
| | PHOF191 | Percentage of adults drinking over 14 units of alcohol a week - (4 year Aggregated) | Annual | - | - | - | 21.40% | - | - | - | - | 15% | Up is Bad | ◀ ▶ Neutral |
| | | Benchmark - National Data | Annual | - | - | - | 22.80% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | - | - | 21.20% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | - | 9 | - | - | - | - | - | | |

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 05: Reduce unhealthy weight | NCMP03 | % of reception year children recorded as being overweight (incl. obese) (single year) | Annual | 22.37% | 20.83% | 24.07% | 23.65% | 21.40% | NC | 22.70% | - | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 22.14% | 22.63% | 22.38% | 22.59% | 23.00% | 27.70% | 22.25% | - | - | | |
| | | Benchmark - Regional Data | Annual | 22.39% | 22.19% | 22.93% | 23.68% | 24.10% | 29.50% | 23.73% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 8 | 3 | 9 | 9 | 3 | NC | 3 | - | - | | |
| | NCMP04 | % of children in Year 6 recorded as being overweight (incl. obese) (single year) | Annual | 27.99% | 29.05% | 31.78% | 29.97% | 33.80% | NC | 31.54% | - | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 34.17% | 34.25% | 34.32% | 34.29% | 35.20% | 40.90% | 37.76% | - | - | | |
| | | Benchmark - Regional Data | Annual | 34.63% | 34.64% | 34.71% | 35.09% | 35.80% | 42.20% | 39.19% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 1 | 3 | 1 | 4 | NC | 1 | - | - | | |
| | NCMP10 | Absolute gap in % of Year 6 recorded obesity between highest and lowest York ward (3 year aggregated) | Annual | 13.10% | 19.48% | 15.80% | 14.40% | 18.62% | - | 19.68% | - | - | Up is Bad | ▲ Red |
| | PHOF44a | % of adults (aged 18+) classified as overweight or obese (New definition) | Annual | 59.30% | 59.40% | 56.70% | 57.60% | 62.30% | 63.60% | - | - | - | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 61.40% | 61.50% | 62.00% | 62.10% | 62.80% | 63.50% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 64.40% | 65.70% | 64.30% | 65.20% | 65.00% | 66.50% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 2 | 1 | 1 | 4 | 4 | - | - | - | | |

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 06: Reduce health inequalities | PHOF40 | Gap in employment rate for mental health clients and the overall employment rate | Annual | 69.30% | 68.50% | 63.90% | 56.40% | 58.00% | 56.60% | - | - | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 67.20% | 67.40% | 68.20% | 67.60% | 67.20% | 66.10% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 64.00% | 63.80% | 64.50% | 63.70% | 63.00% | 62.80% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 15 | 14 | 6 | 1 | 1 | 3 | - | - | - | | |
| | PHOF41 | Gap in employment rate for those with learning disabilities and the overall employment rate | Annual | 66.30% | 69.20% | 68.60% | 70.10% | 71.30% | 68.90% | 74.30% | - | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 68.10% | 68.70% | 69.20% | 69.70% | 70.60% | 70.00% | 70.60% | - | - | | |
| | | Benchmark - Regional Data | Annual | 65.90% | 66.10% | 66.10% | 68.00% | 67.70% | 67.80% | 69.40% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | 12 | 8 | 11 | 12 | 7 | 15 | - | - | | |
| | PHOF75a | Excess under 75 mortality rate in adults with serious mental illness (New Definition Aug 2021) | Annual | - | - | 431.7 | 385.5 | 410.2 | 425.3 | - | - | - | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | - | - | 355.4 | 365.2 | 383.1 | 389.9 | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | - | 335.7 | 336.7 | 348.4 | 344.2 | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | 14 | 13 | 12 | 14 | - | - | - | | |

| | | | Collection Frequency | **Previous Years** | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 07: Reduce the rates of suicide and self-harm | PHOF107 | Suicide rate - Female (per 100,000 population) | Annual | 5.1 | 6.7 | 8.6 | 7.3 | 5.6 | 5.5 | 6.3 | - | 5 | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 4.7 | 4.8 | 4.7 | 4.7 | 4.9 | 5 | 6.2 | - | - | | |
| | | Benchmark - Regional Data | Annual | 4.6 | 4.6 | 4.8 | 4.8 | 5.9 | 6.1 | 6.5 | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | 12 | 13 | 14 | 7 | 4 | 10 | - | - | | |
| | PHOF108 | Suicide rate - Male (per 100,000 population) | Annual | 22.9 | 19 | 18.5 | 16.9 | 18.2 | 21.4 | 20.2 | - | 16 | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 15.8 | 15.3 | 14.7 | 14.9 | 15.5 | 15.9 | 15.9 | - | - | | |
| | | Benchmark - Regional Data | Annual | 17.2 | 16.5 | 16.6 | 16.7 | 18.3 | 19.2 | 18.8 | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 15 | 13 | 11 | 6 | 6 | 12 | 9 | - | - | | |
| | PHE02 | Hospital stays for self harm, per 100,000 population | Annual | 254.3 | 231.8 | 207.9 | 189.9 | 163 | 172.4 | - | - | 152 | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 196.5 | 185.3 | 185.5 | 196 | 192.6 | 181.2 | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 190.3 | NA | 194.6 | 205.8 | 196.9 | 172.7 | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 14 | 11 | 9 | 9 | 13 | 7 | - | - | - | | |

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 08: Improve diagnosis gaps in dementia, diabetes & high blood pressure & detect cancer at an earlier stage | PHE11 | Estimated dementia diagnosis rate (%) for people aged 65+ as recorded on practice disease registers | Annual | - | - | 60.40% | 62.20% | 60.50% | 57.20% | 53.20% | 55.10% | - | Up is Good | ◄ ► Neutral |
| | | Benchmark - National Data | Annual | - | - | 67.90% | 67.50% | 68.70% | 67.40% | 61.60% | 62.00% | - | | |
| | | Benchmark - Regional Data | Annual | - | - | 71.30% | 71.20% | 71.60% | 70.20% | 63.20% | 63.10% | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | 15 | 15 | 15 | 15 | 14 | 14 | - | | |
| | PHOF192 | Estimated diabetes diagnosis rate | Annual | 70.1 | 71.2 | 67.9 | 71.3 | - | - | - | - | - | Up is Good | ◄ ► Neutral |
| | | Benchmark - National Data | Annual | 74.6 | 76.2 | 77.1 | 78 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 78.1 | 80 | 80.6 | 81.9 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 13 | 13 | 15 | 15 | - | - | - | - | - | | |
| | PHOF193 | Estimated hypertension diagnosis rate (Vale of York) | Annual | - | - | - | - | 60.5 | - | - | - | - | Up is Good | ◄ ► Neutral |
| | | Benchmark - National Data | Annual | - | - | - | - | 66.5 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | - | - | - | 67.7 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | - | - | - | - | - | - | - | | |
| | PHOF194 | Percentage of cancers diagnosed at stages 1 and 2 | Annual | 55.00% | 52.60% | 56.30% | 51.70% | 51.10% | 49.30% | - | - | - | Up is Good | ◄ ► Neutral |
| | | Benchmark - National Data | Annual | 54.80% | 54.60% | 54.30% | 54.50% | 54.90% | 52.30% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 53.00% | 52.70% | 51.90% | 52.30% | 53.40% | 50.60% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 5 | 6 | 1 | 8 | 12 | 12 | - | - | - | | |

| Goal | Code | Indicator | Collection Frequency | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Goal 09: Reduce the proportion of adults who are physically inactive from 1 in 5 to 1 in 7 | HLTH55 | Access to Healthy Assets & Hazards Index (Persons, All ages) - % of the population who live in LSOAs which score in the poorest performing 20% on the AHAH index | Annual | - | 5.10% | 5.40% | NC | NC | NC | NC | 3.20% | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | - | 21.20% | 21.1.% | NC | NC | NC | NC | 22.60% | - | | |
| | | Benchmark - Regional Data | Annual | - | 22.20% | 14.10% | NC | NC | NC | NC | 19.90% | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 4 | 7 | NC | NC | NC | NC | 1 | - | | |
| | PHOF02a | % of adults (aged 19+) that are physically inactive (<30 moderate intensity equivalent minutes per week) | Annual | 21.08% | 18.28% | 13.81% | 15.77% | 17.60% | 21.21% | - | - | 15% | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 22.33% | 22.24% | 22.23% | 21.39% | 22.90% | 23.38% | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 24.66% | 24.08% | 24.06% | 22.66% | 24.20% | 24.24% | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 1 | 1 | 1 | 1 | 3 | - | - | - | | |
| | PHYS08 | % of children in school years 1-11 that are active for 60+ minutes everyday | Annual | - | NC | 49.20% | 40.50% | NC | 41.81% | NC | - | - | Up is Good | ◄► Neutral |
| | | Benchmark - National Data | Annual | - | NC | 43.26% | 46.81% | 44.89% | 44.63% | 47.20% | - | - | Neutral | ◄► Neutral |
| | | Benchmark - Regional Data | Annual | - | - | 41.27% | 45.88% | 43.22% | 46.40% | 45.70% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | 3 | 12 | NC | 7 | NC | - | - | | |
| | PHYS12 | Proportion of adults who do any walking or cycling for any purpose at least three times per week. | Annual | - | 57.80% | 60.40% | 56.00% | 60.50% | 58.90% | 55.00% | - | - | Up is Good | ▼ Red |
| | | Benchmark - National Data | Annual | - | 45.70% | 47.00% | 47.20% | 47.70% | 46.00% | 45.60% | - | - | | |
| | | Benchmark - Regional Data | Annual | - | 43.60% | 44.20% | 44.70% | 45.90% | 44.60% | 43.00% | - | - | | |

| | | | Collection Frequency | Previous Years | | | | | | | | Target | Polarity | DOT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 2015/2016 | 2016/2017 | 2017/2018 | 2018/2019 | 2019/2020 | 2020/2021 | 2021/2022 | 2022/2023 | | | |
| Goal 10: Reduce the proportion of adults who report feeling lonely | ASCOF1I1 | Proportion of people who use services who reported that they had as much social contact as they would like | Annual | 45.80% | 49.50% | 44.50% | 43.40% | 45.50% | 35.40% | 39.70% | (Avail Oct 23) | - | Up is Good | ◄► Neutral |
| | | Benchmark - National Data | Annual | 45.40% | 45.40% | 46.00% | 45.90% | 45.90% | 34.40% | 40.60% | (Avail Oct 23) | - | | |
| | | Benchmark - Regional Data | Annual | 46.00% | 45.60% | 47.50% | 48.00% | 46.20% | NC | 40.20% | (Avail Oct 23) | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | 6 | 12 | 14 | 10 | NC | 11 | (Avail Oct 23) | - | | |
| | PHOF112 | Loneliness: Percentage of adults who feel lonely often / always or some of the time | Annual | - | - | - | - | 25.69% | NA | NA | - | 20% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | - | - | - | - | 22.26% | NA | NA | - | - | | |
| | | Benchmark - Regional Data | Annual | - | - | - | - | 21.49% | NA | NA | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | - | - | - | 13 | NA | NA | - | - | | |
| | PHOF99 | % of adult social care users who have as much social contact as they would like (65+ yrs) | Annual | 41.00% | 48.70% | 41.30% | 37.00% | 40.40% | NC | 39.20% | - | - | Up is Good | ◄► Neutral |
| | | Benchmark - National Data | Annual | 43.70% | 43.20% | 44.00% | 43.50% | 43.40% | NC | 37.30% | - | - | | |
| | | Benchmark - Regional Data | Annual | 44.80% | 44.40% | 44.90% | 44.60% | 43.40% | NC | 36.80% | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 13 | 5 | 12 | 15 | 11 | NC | 6 | - | - | | |