

Annex A - County Standard Athletics Track and Facilities

| Minimum Specification | Notes/issues |
|---|--|
| Athletics track & infield | |
| 8 Lane County Standard track Must meet UK Athletics and IAAF standards for a type 3 facility with full DDA access for spectators and competitors. Also achieve UK Athletics certification for County standard competition. | CYC require Partner/constructor to appoint a specialist consultant to oversee the design and installation of the Athletics track as per the Sport England Design Guidance note 2008. |
| Floodlighting to track & infield for athletics training including throwing activities | SE Guidance state min. 200 Lux |
| Security perimeter fence for the entire athletics track and field facilities to prevent unauthorised access | |
| Spectator barrier in front of grandstand to keep spectators off the running track | |
| Accessible path around the outside of the running track | Accessible to wheelchairs |
| Grass football pitch to meet NGB standards | |
| Steeplechase with water jump | |
| 2 x long/triple jump areas with 2 run ups per pit | |
| 1 x Pole vault matt with 2 run up's | |
| 2 x Shott putt circle | |
| 1 x High jump | |
| 2 x Javelin run up | |
| 1 x Hammer discus (Concentric circle including throws cage)+ disability fixings. | |
| PA system and photo finish equipment, including permanent duct under the track near finish area | |
| Official post at finish line | |
| Set of competition loose equipment | |
| Spectator stand for 500 people | Accessible and ensure viewing for wheelchair users |
| Sports pavilion | Estimated room sizes |
| Function room | 100m ² |
| Kitchen off function room | 10m ² |
| Two person office | 15m ² |
| Male toilets (2 WC's + 6 Urinals) – ideally with external access and with surface suitable for spikes. | 20m ² |
| Female toilets (7 WC's) - ideally with external access and with surface suitable for spikes. | 20m ² |
| Accessible WC | 10m ² |
| No1. Disabled changing room with WC & shower | 15m ² |
| No2. Disabled changing room with WC & shower /officials change | 15m ² |
| No1. Athletics equipment store – Large double door access with flush floor plate due to heavy trolleys being used to transport equipment | 50m ² |
| No2. Athletics equipment store – Large double door access with flush floor plate due to heavy trolleys being used to transport equipment | 50m ² |
| Small storage room for cleaning materials and equipment with Belfast sink. | 10m ² |
| A number of lockers will need to be provided within one of the spaces above. Suggest 50 small lockers approximately 300x300x450, so at least valuables can be stored somewhere. | |
| Officials box and secure room for PA system. This could be in either the stand or pavilion. | 10m ² |
| Car Parking | |
| Access to existing public car park opposite site (100+ spaces) | |
| Cycle parking - min 20 | |
| Coach drop off point | |